
DWG No.:

91Y61374

NOTE: Information herein is believed by Southwest Microwave, Inc. to be accurate. However, Southwest Microwave assumes no responsibility for any omissions or errors or inaccuracies for its use or for any infringements of patents or other rights of third parties that may result from its use. Data is intended for informational purpose only and does not constitute a contract of sale or any express or implied warranty, including any warranty of merchant ability or fitness for a particular purpose.




	2.92 CONNECTOR
ITEM	MATERIAL & FINISH
CAPTURE BEAD:	ULTEM 1000 PER ASTM D5205
BEAD:	KEL-F (PCTFE) PER ASTM D1430
CONTACT:	BeCu UNS-C17300 PER ASTM B196 GOLD PLATE PER ASTM B488
HOUSING:	STEEL, CRES ALLOY UNS-30300 PER ASTM A582 PASSIVATED PER ASTM A967-99

Т	RANSITION BLOCK	
ITEM	MATERIAL & FINISH	
TRANSITION BLOCK DIELECTRIC:	VIRGIN PTFE FLUOROCARBON PER ASTM D1710, TYPE 1 GRADE 1, CLASS B	
LAUNCH PIN:	BeCu UNS-C17300 PER ASTM B196 GOLD PLATE PER MIL-DTL-45204	
TRANSITION BLOCK, GROUNDING PLATE, THREADED CLAMPING PLATE	C360 BRASS ALLOY UNS-C36000 PER ASTM B16. NICKEL PLATE PER AMS 2404B	

 ALL DIMENSIONS ARE IN INCHES. ALL ANGLES ARE IN DEGREES. DIMENSIONS SHOWN IN BRACKETS [XXX] ARE IN MILLIMETERS.

NOTES: UNLESS OTHERWISE SPECIFIED.



TITLE

SHEET: 1 OF 1



9458

REV BY: DATE:

1/21/16

REV B

> Southwest Microwave, Inc. 9055 South McKemy Street Tempe, Arizona 85284-2946 Telephone (480) 783-0201

APRYD

Fax (480) 783-0360

2.92 JACK (FEMALE) END LAUNCH CONNECTOR LOW PROFILE, THICK BOARD .300

DRN BY: DATE: 02/04/14 DWG. NO.

91Y61374

REV.