91R60818 responsibil that may responsibil			ormation herein is believed by Southwest Microwave, Inc. to be accurate. However, Southwest Microwave assumes no lity for any omissions or errors or inaccuracies for its use or for any infringements of patents or other rights of third parties esult from its use. Data is intended for informational purpose only and does not constitute a contract of sale or any express warranty, including any warranty of merchant ability or fitness for a particular purpose.					
HOUSING: CONTACT: BEAD: CAPTURE BEAD: ITEM	M7 X STEEL, CRES ALLOY UNS 30300 ASTM A582 PASSIVATED PER ASTM A967-9 BeCu UNS C17300 PER ASTM I GOLD PLATE PER MIL-DTL-452 VIRGIN PTFE FLUOROCARBON ASTM D1710, TYPE 1 GRADE 1 CLASS B ULTEM 1000 PER ASTM D5209 MATERIAL & FINISH	99 B196 204 I PER I,	RP Ø [.208 [5.27] UTUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUUU			Pin Depth Ø A .065 .047 .065 .056	— ØA .481 [12.22] Ø [15.88 .625 [15.88 .625 [15.88 .625 [15.88	.]
 3. 360° RAISED METAL GROUNDING RING. 2. SEE DOCUMENT NO. 91R60815 FOR PRODUCT SPECIFICATIONS. 1. ALL DIMENSIONS ARE IN INCHES. ALL ANGLES ARE IN DEGREES. DIMENSIONS SHOWN IN BRACKETS [XXX] ARE IN MILLIMETERS. NOTES: UNLESS OTHERWISE SPECIFIED. 		EGREES.	ADDED MODEL 1814-1 PER ECN 9106	APRVD. DAT PLC 3/1 Southwest Microwave 9055 South McKemy Street Tempe, Arizona 85284-2946 Telephone (480) 783-0201 Fax (480) 783-0360 Fas (480) 783-0360	, Inc.	1.85mm Jack (Female) .625 Long Flange		